PERMACON

Landscape Products

A 'A

2025

Alternate comfort: Create unforgettable memories with family and friends in a serene outdoor seating area, where the beauty of nature and cozy relaxation come together perfectly.



28 Alternative Landscaping

30 Artex Panel System

- 32 Slabs
- 36 Cassara Large Rectangle
- 37 City
- 38 Esbelto
- 38 Esbelto DuraFusion 😽
- 42 Mega Melville
- Melia DuraFusion 😽 🖉 ew 34
- 34 Melia 18 x 36 DuraFusion 😽 🖉 ew
- Melville 24 x 24 39
- 40 Melville 60

48 Pavers

Melville 60 DuraFusion 😽 40 Metrik 43 44 Mondrian Plus 60 44

Orion Firepit

Mondrian Plus 60 Small Rectangle

Melville 60 Small Rectangle

- 45 Rosebel
- 46 Vertex Wilfrid
- 47

31

40

- Brooklyn TrueColor 💧 50 58 Melville 80 Small Rectangle Melville 80 DuraFusion 😽 Capio 58 51 Melville Plank 52 Cassara Large Rectangle 60 53 Cassara Verde 61 Mondrian Plus 80 53 Eko 61 Mondrian Plus 80 Small Rectangle Esbelto DuraFusion 😽 Trafalgar 60 54 62 55 Kensington Smooth 63 Vendome 60 56 Kensington 63 Vendome 80 Virage 57 Mega Melville 64
 - 65 Zen

- 58 Melville 80
- 66 Walls
- Grande and Grande Smooth Wew 68 Lafitt Tandem

34 Melia 6 x 6 DuraFusion 🛇 Vew

- 73 Urbano
- 74 Vario 76 Wallstone
- Melville Tandem
- 71 Orion

69 70

72 RB

77 Capping - Steps - Mega Steps

Capping

- 78 Lafitt Plus
- 80 Laguna
- 81 Leno Bullnose
- Leno Lafitt 81
- Leno Straight 81
- 80 Marina
- 82 Melville Plus 60 and 90

89 Curbs

90 Lafitt 91 Novo Melville 90

94 Mirage Porcelain Tiles

- 95 Noon
- 95 Quarziti 2.0

Steps

- Lafitt Plus
- Melville Plus 60 and 90 83
- Mega Steps
- Mega Lafitt Plus 86
- Mega Melville Plus 87
- 88 Valentia

92 Elements

| 93 | Fireplace | 93 | Grill Island |
|----|------------|----|--------------|
| 93 | Wood Boxes | 93 | Brick Oven |

Miscellaneous

- 96 Polymeric Sand
- 97 Tools available at permacon.ca
- 98 Warranty

ontents

76 Wedgestone

79

Decades of

expertise and innovation

A Big Family

Oldcastle APG has over 8,500 family members throughout our network of facilities across North America. With over 200 locations, we take pride in being the largest producer of architectural building products on the continent. As industry leaders, we drive the trends and set the standards for quality and innovation.

Locally Made

With nine plants across Quebec and Ontario, Permacon specializes in manufacturing high-quality concrete products crafted to meet the evolving needs of today and tomorrow.

Continuous Innovation

Permacon continually refines its processes to deliver products that embody the latest in innovation and excellence.





Legend



Pedestrian Designed to withstand pedestrian traffic



Designed to allow runoff water to pass through














Combining aesthetics

andenvironment

Experience the perfect blend of nature and design with our permeable pavers. Craft elegant, sustainable spaces with ease.





ECOLOGICAL Eco-friendly products for sustainable design.



LOCAL PRODUCTION Commitment to the community and the local economy.



ZERO EXCESS Zero excess approach to reduce our impact on the environment.



PERMEABLE Permeable pavers to protect our water resources.

Melia

A textured collection that

transports you



Inspired by the gentle waves of water and sand, Melia's finely embossed texture captures the essence of nature's purity.

Walking on these pavers and slabs evokes the serene feeling of strolling along a sunlit beach - creating endless moments of relaxation and harmony.



DuraFusion Colours

Oasis |

Marbella

Hickory



Redefine your space with the elegance and tranquillity of Melia, where refinement meets nature's simplicity.



Melia DuraFusion Slab

Transform your outdoor space with the Melia DuraFusion Slab, inspired by the natural elegance of fine sandy beaches. Its modular format is designed to create a welcoming and harmonious landscape. P 34







Melia 18 x 36 DuraFusion Slab

Unlock limitless design potential with the Melia 18 x 36 DuraFusion Slab. Its single-size, large format offers flexibility for creating bold and innovative layouts. P 34

Melia 6 x 6 DuraFusion Paver

Add a touch of texture to your landscaping with the Melia 6 x 6 DuraFusion Paver. This small square paver perfectly complements the Melia collection, offering a stylish accent to any design. P 34

Textures and finishes for all st les


Create your dream outdoor space with our landscaping products, available in a wide range of textures, finishes and colours.



Explore our various collections, including smooth and textured options.




Create your style relaxation garanteed



Mega Melville slabs provide a sleek, seamless appearance, while the Melville Tandem wall beautifully defines your space, creating the perfect areas for warm, memorable conversations.






Mega Melville Slab Range Amber Beige - P 42 **Vendome Paver** Range Margaux Beige - P 63



Pure elegance







Wilful slabs bring a modern and refined elegance to any warm, inviting atmosphere with their clean, straight lines, perfectly suited for spaces around the fireplace or by the pool.

Cultivating meaningful spaces



Achieve the perfect harmony of modern sophistication and timeless authenticity with the Mega Melville slab, which beautifully complements the rich texture of the Lexa Cameo stone. Create a serene and inviting space, ideal for sharing meaningful moments.




Landscape-inspired








Melville Tandem Wall Range Scandina Grey - P 73 Mega Melville Plus Step Range Scandina Grey - P 89




Gearliess integration: The Rosebel slab pathway, thoughtfully paired with complementary materials, seamlessly integrates into its surroundings. Create the perfect backdrop for all of life's moments - from lively gatherings to quiet, cozy evenings, in a space designed for harmony and comfort.





Spacioneness: Mega Melville slabs create a visual effect that expands your outdoor space into an elegant, open setting.







Melville 80 DuraFusion Paver Silverstone - P 58 Vendome Paver Rockland Black - P 63 THE PARTY

2



Artex Panel System Range Scandina Grey - P 30




Alternative Landscaping

30 Artex Panel System31 Orion Firepit

Artex Panel System







Orion Firepit









540 x 1016 x 1016 mm 21 3/16 x 40 x 40 in.



Melville 24 x 24 Slab Range Amber Beige - P 39

2111



14

Slabs

- 36 Cassara Large Rectangle
- 37 City
- 38 Esbelto
- 38 Esbelto DuraFusion 🐬
- 42 Mega Melville
- 34 Melia DuraFusion 🛇 Mew
- 34 Melia 18 x 36 DuraFusion 😽 Mew
- 39 Melville 24 x 24
- 40 Melville 60
- 40 Melville 60 Small Rectangle
- 40 Melville 60 DuraFusion 🐬
- 43 Metrik
- 44 Mondrian Plus 60
- 44 Mondrian Plus 60 Small Rectangle
- 45 Rosebel
- 46 Vertex
- 47 Wilfrid

Melia DuraFusion Slab //ew






 \mathbb{S}

5





Unit A 60 x 226 x 457 mm 2 3/8 x 9 x 18 in.



Unit B 60 x 457 x 457 mm 2 3/8 x 18 x 18 in.



Unit C 60 x 457 x 686 mm 2 3/8 x 18 x 27 in.




18 x 36 60 x 457 x 914 mm 2 3/8 x 18 x 36 in.

Melia Dura
Fusion Slab and Melia 18 ${\rm x}$ 36 Dura
Fusion Slab are available in Oasis and Marbella.



6 x 6 (sold separately) 60 x 152 x 152 mm 2 3/8 x 6 x 6 in.

Melia 6 x 6 DuraFusion Paver is available in Oasis, Marbella and Hickory.




Marbella



For more information on the Melia collection

Cassara Large Rectangle Slab





City Slab













60 x 500 x 750 mm 2 3/8 x 19 11/16 x 29 1/2 in.



Esbelto Slab








Melville 24 x 24 Slab







Melville 60 Slab











Mega Melville Slab







Metrik Slab










60 x 70 x 280 mm 2 3/8 x 2 3/4 x 11 in.



Mondrian Plus 60 Slab







Rosebel Slab














Unit A 60 x 389 x 560 mm 2 3/8 x 15 5/16 x 22 in.




Unit B 60 x 389 x 756 mm 2 3/8 x 15 5/16 x 29 3/4 in.



Vertex Slab










Unit A 60 x 200 and 302 x 610 mm 2 3/8 x 7 7/8 and 11 7/8 x 24 in.




Unit B 60 x 200 and 302 x 610 mm 2 3/8 x 7 7/8 and 11 7/8 x 24 in.



Wilfrid Slab










Unit B 60 x 570 x 570 mm 2 3/8 x 22 7/16 x 22 7/16 in.



Unit C 60 x 570 x 950 mm 2 3/8 x 22 7/16 x 37 3/8 in.







Paver

S

- 50 Brooklyn TrueColor 💧
- 51 Capio
- 52 Cassara Large Rectangle
- 53 Cassara Verde
- 53 Eko
- 54 Esbelto DuraFusion 🐬
- 55 Kensington Smooth
- 56 Kensington
- 57 Mega Melville
- 34 Melia 6 x 6 DuraFusion 😽 New
- 58 Melville 80
- 58 Melville 80 Small Rectangle
- 58 Melville 80 DuraFusion 🐬
- 60 Melville Plank
- 61 Mondrian Plus 80
- 61 Mondrian Plus 80 Small Rectangle
- 62 Trafalgar 60
- 63 Vendome 60
- 63 Vendome 80
- 64 Virage
- 65 Zen

Brooklyn TrueColor Paver










60 x 230 x 76 mm 2 3/8 x 9 x 3 in.



Capio Paver





Cassara Large Rectangle Paver













100 x 300 x 700 mm 4 x 11 13/16 x 27 9/16 in.



Cassara Verde Paver









80 x 300 x 450 mm 3 1/8 x 11 13/16 x 17 3/4 in.

Eko Paver











Unit A 70 x 180 x 360 mm 2 3/4 x 7 x 14 1/8 in.

Unit B 70 x 360 x 360 mm 2 3/4 x 14 1/8 x 14 1/8 in.

Unit C 70 x 360 x 540 mm 2 3/4 x 14 1/8 x 21 1/4 in.





70 x 180 x 360 mm 2 3/4 x 7 x 14 1/8 in.

Sierra Black is only available in Eko Small Rectangle Paver.




Esbelto DuraFusion Paver














80 x 305 x 610 mm 3 1/8 x 12 x 24 in.




Kensington Smooth Paver





Sold in a Mixed Bundle (Large Rectangle, Square and Small Rectangle combined). Sierra Black is only available in Kensington Smooth Rectangle Paver.




Kensington Paver





Sold in a Mixed Bundle (Large Rectangle, Square and Small Rectangle combined). Sierra Black is only available in Kensington Rectangle Paver.



Mega Melville Paver







Melville 80 Paver










Melville Plank Paver










SLIM - A, B and C Units 80 x 127 x 300 - 400 - 500 mm 3 1/8 x 5 x 11 13/16 - 15 3/4 - 19 11/16 in.



LARGE - A, B and C Units 80 x 190 x 300 - 400 - 500 mm 3 1/8 x 7 1/2 x 11 13/16 - 15 3/4 - 19 11/16 in.



Mondrian Plus 80 Paver









Pavers |

61

Trafalgar 60 Paver






Vendome 60 and 80 Paver











Unit A - 80 mm 80 x 130 x 197 mm 3 1/8 x 5 1/8 x 7 3/4 in.



Unit B - 60 mm 60 x 130 x 262 mm 2 3/8 x 5 1/8 x 10 5/16 in.

Unit B - 80 mm

80 x 130 x 262 mm

3 1/8 x 5 1/8 x 10 5/16 in.



Unit C - 60 mm 60 x 130 x 327 mm 2 3/8 x 5 1/8 x 12 7/8 in.


Unit C - 80 mm 80 x 130 x 327 mm 3 1/8 x 5 1/8 x 12 7/8 in.

Vendome 60 Paver is not vehicular.





Virage Paver








80 x 300 x 300 mm 3 1/8 x 11 7/8 x 11 7/8 in.







For more laying patterns, see our Installation Guide




Zen Paver







80 x 190 x 380 mm 3 1/8 x 7 1/2 x 15 in.






Lafitt Tandem Wall Range Scandina Grey - P 69

Walls

- 68 Grande and Grande Smooth \mathcal{N}_{ew}
- 69 Lafitt Tandem
- 70 Melville Tandem
- 71 Orion
- 72 RB
- 73 Urbano
- 74 Vario
- 76 Wallstone
- 76 Wedgestone

Grande Wall





Grande Smooth Wall Mew







375 Standard 200 x 375 x 1000 mm 7 7/8 x 14 3/4 x 39 3/8 in.



750 Standard 200 x 750 x 1000 mm 7 7/8 x 29 1/2 x 39 3/8 in.



1125 Standard 200 x 1125 x 1000 mm 7 7/8 x 44 5/16 x 39 3/8 in.



438 Capping 200 x 438 x 1000 mm 7 7/8 x 17 1/4 x 39 3/8 in.



Corner Unit 200 x 500 x 1000 mm 7 7/8 x 19 11/16 x 39 3/8 in.



175 Step 175 x 438 x 1000 mm 6 7/8 x 17 1/4 x 39 3/8 in.



Lafitt Tandem Wall











90 - A, B, C and D Units







180 - E, F and G Units 180 x 67 x 335 - 402 - 469 mm 7 x 2 5/8 x 13 3/16 - 15 13/16 - 18 1/2 in.



Melville Tandem Wall





Orion Wall










180 x 203 x 813 mm 7 x 8 x 32 in.



RB Wall














Standard Unit 150 x 300 x 200 mm 5 7/8 x 11 13/16 x 7 7/8 in.





Capping 75 x 300 x 610 mm 3 x 11 13/16 x 24 in.



Urbano Wall












Unit A 120 x 201 x 335 mm 4 3/4 x 7 15/16 x 13 3/16 in.

Unit B 120 x 201 x 402 mm 4 3/4 x 7 15/16 x 15 3/16 in.

Unit C 120 x 201 x 469 mm 4 3/4 x 7 15/16 x 18 1/2 in.




Vario Wall













90 - Unit A 90 x 238 x 317.5 mm 3 9/16 x 9 3/8 x 12 1/2 in.



180 - Unit A 180 x 238 x 317.5 mm 7 x 9 3/8 x 12 1/2 in.




90 - Unit B 90 x 238 x 397 mm 3 9/16 x 9 3/8 x 15 5/8 in.


180 - Unit B

180 x 238 x 397 mm 7 x 9 3/8 x 15 5/8 in.





180 - Unit C 180 x 238 x 476.5 mm 7 x 9 3/8 x 18 3/4 in.



Wallstone Wall











Standard Unit 100 x 200 x 300 mm 3 15/16 x 7 7/8 x 11 13/16 in.



Corner/Column Unit 100 x 200 x 300 mm 3 15/16 x 7 7/8 x 11 13/16 in.



12-inch Capping 100 x 200 x 300 mm 3 15/16 x 7 7/8 x 11 13/16 in.

Wedgestone Wall











Standard Unit 100 x 200 x 231 and 153 mm 3 15/16 x 7 7/8 x 9 3/32 and 6 in.



Capping Unit 100 x 200 x 231 and 153 mm 3 15/16 x 7 7/8 x 9 3/32 and 6 in.

Capping and Steps

CAPPING

- 78 Lafitt Plus
- 80 Laguna
- 81 Leno Bullnose
- 81 Leno Lafitt
- 81 Leno Straight
- 80 Marina
- 82 Melville Plus 60 and 90


STEPS

- 79 Lafitt Plus
- 83 Melville Plus 60 and 90

Melville Tandem Wall Range Scandina Grey - P 70 Melville Plus 60 Step Range Scandina Grey - P 83

Lafitt Plus Capping





Lafitt Plus Step





Laguna Capping



Marina Capping











60 x 360 x 610 mm 2 3/8 x 14 3/16 x 24 in.









60 x 150 x 300 mm 2 3/8 x 5 15/16 x 11 13/16 in.

Leno Capping















Melville Plus 60 and 90 Capping









Melville Plus 60 and 90 Step







60 Unit 60 x 400 x 600 mm 2 3/8 x 15 3/4 x 23 5/8 in.



90 Unit 90 x 400 x 600 mm 3 9/16 x 15 3/4 x 23 5/8 in.

Range Margaux Beige and range Shaded Grey are only available in Melville Plus 90 Step.

Range Scandina Grey Capping and Steps 83

Mega Melville Plus Step Range Scandina Grey - P 87

Mega Steps


86 Mega Lafitt Plus

and the second

- 87 Mega Melville Plus
- 88 Valentia

Mega Lafitt Plus Step






Mega Melville Plus Step








Valentia Step











175 x 350 x 1200 mm 6 7/8 x 13 3/4 x 47 1/4 in.



Terrace Step 150 x 500 x 1500 mm 6 x 19 11/16 x 59 1/16 in.






SQJS SO 90 Lafitt 90 Melville 91 Novo

Lafitt Curb












125 x 115 x 600 mm 4 7/8 x 4 1/2 x 23 5/8 in.









Novo Curb







Curbs | 91

Elements

- 93 Fireplace
- 93 Wood Boxes

Start Start

- 93 Grill Island
- 93 Brick Oven


Bordeaux



Bordeaux Fireplace



Bordeaux Wood Boxes





Bordeaux Grill Island











Birage 95 Noon

A share

1

95 Quarziti 2.0

Porcelain tiles, natural stone finishes and wood texture bring materials in harmony with nature.

Noon Ember

Noon Porcelain Tiles







Waterfall

Mantle




textured

20 x 300 x 1200 mm 3/4 x 11 13/16 x 47 1/4 in.

Quarziti 2.0 Porcelain Tiles







Large Rectangle (sold separately) 20 x 600 x 1200 mm 3/4 x 23 5/8 x 47 1/4 in.



Large Square (sold separately) 20 x 600 x 600 mm 3/4 x 23 5/8 x 23 5/8 in.



Pool Capping (sold separately) 20 x 330 x 600 mm 3/4 x 13 x 23 5/8 in.

Mantle is available in Large Rectangle and Pool Capping only.

Techniseal Polymeric Sands





SMART SAND®

- Optimizing interlocking paver jointing
- Ideal for 1/16 in. (1.6 mm) to 1 in.
 (2.5 cm) wide joints
- Suitable for pedestrian and lowtraffic areas (driveways, sidewalks and terraces)

SmartSand is offered by Permacon in **Tan**, **Urban Grey** or **Granite**



HP NextGel

- Optimizing jointing of concrete pavers and slabs, and porcelain tiles (only if mechanical compaction is possible)
- Appropriate for false joints
- Ideal for 1/16 in. (1.6 mm) to 2 in. (5 cm) wide joints
- Suitable for high-humidity environments, heavy-sloped and heavy traffic areas

HP NextGel is offered by Permacon in **Tan**, **Urban Grey, Ivory, Black** or **Granite**



NOCO

- Optimizing jointing of concrete pavers, highly textured surfaces, large slabs and porcelain tiles
- Appropriate for false joints
- Ideal for 1/4 in. (6 mm) to 2 in. (5 cm) wide joints with up to 4 in. (10 cm) wide intersections
- Perfect alternative to mortar, stone dust and polymeric stone dust

Noco is offered by Permacon in **Desert Tan** or **Iron Grey**





EDGEBOND

EDGE BOND[™] is a fortified hardscape concrete edging powered with NextGel[™] the FASTEST & EASIEST application on the market.



STORM

A multi-weather jointing compound for pavers, natural stones, permeable slabs, and outdoor porcelain.

Ideal for joint width from 1/8 to 2 in. (3 to 50 mm) with intersecting spaces up to 4 in. (100 mm).



the tools you need to design your project



VISUALIZATION TOOL

Create, dare, change, start again... in complete freedom!



INSPIRATION

Let yourself be inspired by our gallery of projects





MAINTENANCE Protect your investment permacon.ca

50-Year Warranty Landscape Products



Permacon's 50-year warranty applies to landscape and masonry products including Suretouch intended for residential use¹. This warranty statement affirms that products manufactured by Permacon meet the requirements of CSA (Canadian Standard Association) and ASTM (American Society for Testing and Materials) standards.

For details regarding commercial applications, please refer to our institutional, commercial and industrial warranty.

Permacon guarantees that, as of the date of delivery, its concrete products are free from manufacturing defects. Provided that the conditions set forth below are met, Permacon guarantees the structural integrity of the concrete in its landscaping and masonry products for a period of 50 years from the date of the product's purchase. The warranty applies to normal, non-abusive use of the product. To preserve the original appearance of your products, we recommend that you consult our *Landscape Maintenance Guide* available on our website.

IN ALL CASES DETAILED BELOW, THE WARRANTY IS LIMITED TO THE PRODUCTS' MARKET VALUE.

How do I make a claim?



permacon.ca/en/warranty/

Proof of purchase is required to proceed with a claim request. No claims will be accepted without proof of purchase.²

All claims must be reported within 15 days of the discovery of a product's defect. To validate a claim, a Permacon representative will arrive to inspect the defective products in order to confirm whether the claim is eligible. Therefore, it is essential to provide Permacon with the necessary access to inspect and take photos of the affected products.

This warranty is the only one that is presently offered. Because Permacon continually improves and modifies its products, it may alter and discontinue products at any time, and therefore may replace warranty-covered products with products of similar quality or offer monetary compensation if the products under warranty have been discontinued or are no longer on the market while the warranty is active.

In the event that a product is found to be non-compliant by Permacon or an authorized representative of the company, and in order to proceed with compensation, Permacon will take into account the number of months during which the landscape or masonry products were in the possession of the owner or their contractor, up to the date of the claim, and will prorate the amount of the payment or replacement to be made accordingly.

For example, if the purchaser makes a warranty claim in the last month of the 10^{th} year of the warranty (i.e., the 120^{th} month), the manufacturer, at its sole discretion, shall either:

- Provide a replacement for the product in question if still available (only the defective product will be replaced);
- Return 480/600 of the price paid for the products to the owner. No labour, transportation, or other compensation will be covered by Permacon.

Transferability

The warranty is transferable. Proof of warranty registration will still be required in the event of a claim. The prorated period will be based on the 50-year warranty period remaining as an assignee, if the purchaser transfers the warranty to a subsequent owner, as described above.

¹ The following locations are defined as residential: family dwelling of five units or less, single family homes, garden suites, or townhouses.

² The following documents are considered valid proof of purchase: invoices directly from an authorized Permacon distributor, or invoice from a landscape contractor, general contractor, mason, or home builder.



Exclusions

A landscape or masonry product installed on an area of more than **100 square feet** confirms the acceptance of the product received on the job site and that no claim can be made to Permacon regarding the colour, size, or texture of the product.

This warranty excludes all products not supplied by Permacon, as well as any defects, failures, or damages that may result from the actions listed below:

- Contact with chemicals or cleaning products;
- Damage caused by pressure washers;
- Improper installation or other construction activities that do not comply with the installation standards established by ICPI, NCMA or IMQ, the National Building Code or the installation methods and tips recommended by Permacon. The installation guides provided by Permacon represent certain installation situations and are not exhaustive. It is therefore strongly recommended that you consult a qualified professional to ensure the proper installation of Permacon products on a specific job site;
- Defective design or construction resulting in sagging, shifting, or failure;
- Breakage due to shock, impact, or excessive load during handling, use, or transportation;
- Natural disaster or other uncontrollable event;
- Breakage and damage to products caused by soil movement or building movement as well as misuse of construction, compaction, or snow removal equipment. The warranty does not cover surface deterioration caused by the misuse of sodium chloride (NaCl) to de-ice pavers, slabs, or steps;
- The use of sodium chloride (NaCl) on the following products:
 - Step Valentia;
 - Valentia Block;
- Be.OnStone, Mirage and Techniseal products sold by Permacon.

Installation

When installing masonry products, all work must be cleaned to remove any residues and contaminants left on the stone or brick. Permacon accepts no responsibility for stains and colour changes caused by installation residue or the consequences of cleaning these residues.

Colour

The presence of natural ingredients used in the manufacturing process varies from one product to another. Therefore, the product received on the job site will not be completely identical to the products displayed in our commercial presentations (catalogs, samples, displays). Any difference in colour will not be covered by the guarantee.

Photos of our products in landscape and masonry brochures, as well as in displays such as masonry panels and landscape racks at our distributors, are not an exact representation of the products that will be delivered to the job site. Permacon offers a variety of products with different colours to reproduce the appearance of natural stone. It is therefore strongly recommended that you view several products directly from your authorized Permacon distributor to see all available colours.

It is the purchaser's responsibility to approve the products (and their colour) delivered to the job site prior to installation to confirm satisfaction. It is also recommended to mix products from different pallets received on the job site. Since variations in colour shades are a natural phenomenon, Permacon does not guarantee colour uniformity between different pallets on the same job site. Product installation constitutes acceptance.

Polymeric film

A whitish polymeric film can be found on the surface of Permacon's products. This is the result of an inadequate use of polymeric sand. Improper cleaning of slabs and pavers prior to the application of water on the product surface can cause this whitish polymeric film. This film does not affect the structural integrity of the product. Permacon cannot be held responsible for this phenomenon, which is not covered by the warranty.

Efflorescence

White traces on the surface of the product are caused by a natural phenomenon called efflorescence. More visible on darker products, efflorescence affects neither the intrinsic technical qualities nor the structural integrity of Permacon's products. The possible appearance of efflorescence cannot be the subject of any guarantee. In most cases, efflorescence disappears by itself over time.

Our Preventive Maintenance Guide for Concrete Landscaping Products is available on our website **permacon.ca**

Since 1952, all Permacon products have been made with passion and pride in Canada.



